

We claim:

1. A method for accessing sales data, comprising the steps of:  
5 receiving a username and a password from a web page;  
identifying an account having the username and the password associated  
therewith;  
determining a service level associated with the identified account;  
determining at least one question that is authorized to be presented to the web  
10 page based on the determined service level associated with the account;  
populating a list control element of the web page with the at least one  
question.
2. The method of claim 1, wherein the identification step is performed by a  
security application.
- 15 3. The method of claim 2, wherein the security application searches a database  
for an account record having the username and the password associated therewith.
4. The method of claim 1, wherein the reading step is performed by a service  
application.
5. The method of claim 4, wherein the service application searches a database for  
20 an account record having the username associated therewith, and reads the service  
level from the account record.
6. The method of claim 1, wherein the determining step is performed by a  
question and answer framework application.
7. The method of claim 6, wherein the question and answer framework  
25 application searches a database for the at least one questions based upon at least one  
of a plurality of appropriate service level indicators.
8. The method of claim 6, wherein the at least one of a plurality of appropriate  
service level indicators is the same as the service level.

9. The method of claim 6, wherein the at least one of a plurality of appropriate service level indicators is different from the service level.
10. The method of claim 1, wherein the at least one question includes at least one parameter.
- 5 11. The method of claim 1, further comprising the steps of:  
receiving an indication upon a selection of one of the at least one question;  
populating a further list control element of the web page with an at least one parameter.
12. The method of claim 1, wherein the list control element is a drop down box.
- 10 13. A logic arrangement for accessing sales data, wherein the logic arrangement is adapted for an execution by a processing arrangement to perform the steps comprising of:  
receiving a username and a password from a web page;  
identifying an account having the username and the password associated  
15 therewith;  
reading a service level associated with the identified account;  
determining at least one question that is authorized to be presented to the web page based on the service level associated with the account;  
populating a list control element of the web page with the at least one  
20 question.
14. The logic arrangement of claim 13, wherein the identification step is performed by a security application.
15. The logic arrangement of claim 14, wherein the security application searches a database for an account record having the username and the password associated  
25 therewith.
16. The logic arrangement of claim 13, wherein the reading step is performed by service application.

17. The logic arrangement of claim 16, wherein the service application searches a database for an account record having the username associated therewith, and reads the service level from the account record.
18. The logic arrangement of claim 13, wherein the determining step is performed  
5 by a question and answer framework application.
19. The logic arrangement of claim 18, wherein the question and answer framework application searches a database for the at least one questions based upon at least one of a plurality of appropriate service level indicators.
20. The logic arrangement of claim 18, wherein the at least one of a plurality of  
10 appropriate service level indicators is the same as the service level.
21. The logic arrangement of claim 18, wherein the at least one of a plurality of appropriate service level indicators is different from the service level.
22. The logic arrangement of claim 13, wherein the at least one question includes at least one parameter.
- 15 23. The logic arrangement of claim 13, further comprising the steps of:  
receiving an indication that one of the at least one question has been selected;  
populating a further list control element of the web page with an at least one  
parameter.
24. The logic arrangement of claim 13, wherein the list control element is a drop  
20 down box.
25. A system including a processor, a data warehouse, and an Internet connection capable of executing the steps comprising of:  
receiving a username and a password from a web page;  
identifying an account having the username and the password associated  
25 therewith;  
reading a service level associated with the identified account;  
determining at least one question that is authorized to be presented to the web  
page based on the service level associated with the account; and

populating a list control element of the web page with the at least one question.

26. The system of claim 25, wherein the account is identified by a security application.

5 27. The system of claim 25, wherein the security application searches a database for an account record having the username and the password associated therewith.

28. The system of claim 25, wherein the service level is read by a service application.

29. The system of claim 28, wherein the service application searches a database  
10 for an account record having the username associated therewith, and reads the service level from the account record.

30. The system of claim 25, wherein the at least one question is determined by a question and answer framework application.

31. The system of claim 30, wherein the question and answer framework  
15 application searches a database for the at least one questions based upon at least one of a plurality of appropriate service level indicators.

32. The system of claim 30, wherein the at least one of a plurality of appropriate service level indicators is the same as the service level.

33. The system of claim 30, wherein the at least one of a plurality of appropriate  
20 service level indicators is different from the service level.

34. The system of claim 25, wherein the at least one question includes at least one parameter.

35. The system of claim 25, wherein the processor is also configured to receive an indication that one of the at least one question has been selected, and populate a  
25 further list control element of the web page with an at least one parameter.

36. The system of claim 25, wherein the list control element is a drop down menu.

37. A method for specifying sales data to be accessed as a basis for a report, comprising the steps of:

(a) selecting one of an at least one question from a first list control element on a web page; and

5 (b) selecting at least one parameter from a second list control element on the web page, wherein the second list control element was created on the web page after the first selection of the one of the at least one question from the first list control element, and wherein the second list control element was populated with the at least one parameter after the first selection of the one of the at least one question from the  
10 first list control element.

38. The method of claim 37, further comprising: providing a username and password prior to the first selecting step.

39. The method of claim 38, wherein the at least one question is generated at least in part based on the username and password.

15 40. The method of claim 38, wherein the at least one parameter is generated at least in part based on the username and password.